



Secondary Publication

Ehrlich, Ulrike; Kelle, Nadiya; Klaus, Daniela; Möhring, Katja

How did the COVID-19 pandemic impact the wellbeing of family care-givers? : A longitudinal study of older adults in Germany

Date of secondary publication: 05.12.2025

Version of Record (Published Version), Article

Persistent identifier: urn:nbn:de:bvb:473-irb-112055x

Primary publication

Ehrlich, Ulrike; Kelle, Nadiya; Klaus, Daniela; Möhring, Katja (2024): How did the COVID-19 pandemic impact the wellbeing of family care-givers? : A longitudinal study of older adults in Germany, in: Ageing and Society, Cambridge [u.a.]: Cambridge Univ. Press, Vol. 44, Nr. 7, pp. 1533–1550, doi: 10.1017/S0144686X22000873.

Legal Notice

This work is protected by copyright and/or the indication of a licence. You are free to use this work in any way permitted by the copyright and/or the licence that applies to your usage. For other uses, you must obtain permission from the rights-holders.

This document is made available under a Creative Commons license.



The license information is available online:

<https://creativecommons.org/licenses/by/4.0/legalcode>

ARTICLE

How did the COVID-19 pandemic impact the wellbeing of family care-givers? A longitudinal study of older adults in Germany

Ulrike Ehrlich^{1*} , Nadiya Kelle¹ , Daniela Klaus¹  and Katja Möhring² 

¹German Centre of Gerontology (DZA), Berlin, Germany and ²Department for Social Sciences and Mannheim Centre for European Social Research (MZES), University of Mannheim, Mannheim, Germany

*Corresponding author. Email: ulrike.ehrlich@dza.de

(Accepted 20 May 2022; first published online 19 August 2022)

Abstract

Previous research was not able to identify an effect of the COVID-19 pandemic on family care-givers' wellbeing due to cross-sectional data structures, care-giver-specific samples or non-probability sampling designs. In this article, by drawing on longitudinal data from a random and representative sample of the German population aged 40 and older, we overcome methodological limitations of previous research. We examine the impact of the COVID-19 pandemic on the wellbeing (life satisfaction, depressive symptoms, loneliness) of different groups of family care-givers (new care-givers, continuous care-givers, past care-givers) and non-care-givers in Germany. We derived a balanced sample of $n = 3,875$ individuals aged 43–97 (mean = 66.5 years, standard deviation = 10.2 years) from the German Ageing Survey (DEAS) to explore changes in wellbeing between 2017 (pre-pandemic) and June/July 2020 (pandemic). Using a first-difference approach, we found that the pandemic has a negative impact on both non-care-givers' and family care-givers' wellbeing, with increased levels of depressive symptoms and loneliness compared to pre-pandemic times. Changes in depressive symptoms of family care-givers did not significantly deviate from non-care-givers. However, continuous care-givers showed more pronounced increases in loneliness compared to non-care-givers. Our results suggest that family care-givers' wellbeing merits particular attention when considering the long-term consequences of the COVID-19 pandemic on individuals' wellbeing.

Keywords: COVID-19; mental health; care-giving; loneliness; life satisfaction; depressive symptoms

Introduction

After the first case of the coronavirus was identified in Wuhan (People's Republic of China) in December 2019, the virus spread very quickly across the globe and led to the ongoing COVID-19 pandemic. In Germany, the first laboratory-confirmed case of the coronavirus was reported on 28 January 2020 (Robert Koch-Institut, 2020). Between then and the spring of 2022, Germany underwent five waves of the

© The Author(s), 2022. Published by Cambridge University Press. This is an Open Access article, distributed under the terms of the Creative Commons Attribution licence (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted re-use, distribution and reproduction, provided the original article is properly cited.

pandemic (Tagesspiegel Innovation Lab, 2022). During the first wave of the pandemic, the German government implemented social distancing and contact restriction measures, issued stay-at-home orders and ordered the closure of non-essential businesses starting in late March 2020 in order to slow down the spread of the virus. Compared to other countries, the containment and closure measures at the beginning of the pandemic were implemented both later and more slowly. Moreover, they were less restrictive than in other countries (Capano *et al.*, 2020). Nevertheless, the measures were socially disruptive, contributing to increased loneliness, impacts on mental health and lower levels of (domain) life satisfaction (Entringer *et al.*, 2020; Huebener *et al.*, 2020; Huxhold and Tesch-Römer, 2021; Möhring *et al.*, 2021).

Relying on the existing literature, there are a number of reasons to assume that the wellbeing of individuals with support or care responsibilities for persons suffering from poor health, disability or age-related frailty ('family care-givers' in the following) was disproportionately affected by the COVID-19 pandemic. Even in non-pandemic times, studies confirm the assumptions underlying the care-giver stress process model (Pearlin *et al.*, 1990) by showing that family care-giving is a persistent cause of stress leading to negative wellbeing outcomes (e.g. Hirst, 2005; Hansen *et al.*, 2013; Kaschowitz and Brandt, 2017; Sacco *et al.*, 2022). Specifically in Germany, which is often considered to have an 'explicitly familialistic' care regime, family care-givers are at the centre of maintaining the health and wellbeing of individuals in need of care (Leitner, 2019; Fischer *et al.*, 2022). About 80 per cent of the 4.1 million individuals who are recognised as requiring care by the German long-term care insurance are cared for in their home environment (Statistisches Bundesamt (Destatis), 2020). Additionally, there is an undefined number of persons who are not (yet) recognised as care-dependent by the long-term care insurance but need regular support, help and care, which is most likely provided by their families, friends or neighbours (Geyer and Schulz, 2014).

As the pandemic hit Germany in early 2020, many family care-givers experienced mounting family care responsibilities due to decreasing levels of support from professional care services and family, friends and neighbours (Eggert *et al.*, 2020; Brandt *et al.*, 2021; Klaus and Ehrlich, 2021). Compared to 2019, family care-givers in 2020 used far fewer professional care services like day and night care (*Tages- und Nachtpflege*) and short-term care services (*Kurzzeitpflege*) (Bundesministerium für Gesundheit (BMG), 2021a, 2021b).¹ This is not surprising because the availability of many care facilities and services was not assured, or was considered unsafe with regard to the infection risk (Rothgang *et al.*, 2020; Robert Koch-Institut, 2021). Additionally, family care-givers experienced less support due to the pandemic-related departure of paid 24-hour migrant home care workers (so-called foreign 'live-ins') (Eggert *et al.*, 2020; Wolf-Ostermann *et al.*, 2020). Furthermore, in order to minimise the risk of infection for care receivers as well as for themselves, many family care-givers may have been reluctant to make use of support from family, friends and neighbours (e.g. Gilligan *et al.*, 2020). As a result, family care-givers found themselves in a new situation with less support from professional and privately provided care (e.g. Eggert *et al.*, 2020), which might aggravate the stress process and worsen family care-givers' mental health.

Another important aspect concerns family care-givers' social isolation. Although the entire population was called upon to distance themselves socially in order to

contain the spread of the virus, family care-givers may have put even stronger social distancing measures in place: they needed to protect themselves from infection at a much higher level, not only to avoid putting their role as care-giver at risk but also to avoid passing the virus on to their family members who were in need of care and prone to infection. This protection was best ensured through strict social isolation of both the family care-giver and the person in need of care. Moreover, family care-givers may have maintained social isolation for health and safety reasons, even as the government eased contact restrictions after the peak of each wave of the pandemic (e.g. Gilligan *et al.*, 2020). This may have led to higher levels of loneliness among family care-givers than among non-care-givers.

As of May 2022, the impact of COVID-19 on family care-givers' wellbeing as compared to non-care-givers' wellbeing in Germany has not been systematically examined. Previous research was not able to identify a COVID-19 effect in the relationship between family care and wellbeing as it conducted analyses only on the basis of cross-sectional research designs, carer-only samples or non-probability samples (e.g. Eggert *et al.*, 2020; Wolf-Ostermann *et al.*, 2020; Brandt *et al.*, 2021; Budnick *et al.*, 2021). In order to analyse the impact of the COVID-19 pandemic on the relationship between family care and wellbeing, we draw on unique longitudinal and population-based data from the German Ageing Survey (DEAS). We contrast possible changes in family care-givers' and non-care-givers' wellbeing, *i.e.* general life satisfaction, depressive symptoms and perceived loneliness, between pre-pandemic (2017) and early pandemic times (June/July 2020). In June 2020, infection numbers were low, contact restrictions were comprehensively relaxed, and schools, kindergartens, museums, sports facilities and non-essential businesses re-opened under specific hygiene, physical distancing and/or contact tracing regulations (Bauer and Weber, 2021). At the same time, the perceived risk of infection for older or care-dependent people was still noticeable (Eggert *et al.*, 2020; Wettstein *et al.*, 2020). At this point, the prospects for a vaccine were still remote and many experts stated that the pandemic was far from over. Therefore, we assume that the COVID-19 pandemic still posed an extraordinary burden on family care-givers at that time that translated into a worsening of their mental wellbeing. More specifically, we expect that as a consequence of the pandemic, loneliness and depressive symptoms of family care-givers have increased, and that their life satisfaction has declined to a greater extent than among non-care-givers. We conduct analyses by means of the first-difference regression technique. We are thereby able to identify the causal effect of the early COVID-19 pandemic and its associated containment and closure measures on individuals' mental wellbeing.

Method

Data

We employ panel data from the DEAS, provided by the German Centre of Gerontology (DZA) (Klaus *et al.*, 2017). DEAS is a representative panel study (1996, 2002, 2008, 2011, 2014, 2017, 2020) of more than 20,000 adults aged 40 years and older living in private households in Germany. The DEAS is an excellent data source for analysing whether and to what extent the COVID-19 pandemic has

impacted family care-givers' wellbeing as it provides rich longitudinal information on respondents' mental wellbeing, their family care-giver status and on other relevant confounders. Significantly, the 2020 survey took place in the period from 8 June to 22 July 2020. Although the first COVID-19 wave in Germany had flattened out at this time and some containment and closure measures had already been suspended, the feeling of threat and uncertainty in relation to the pandemic was still widespread, both subjectively and objectively, as the pandemic was not yet under control. As the start of the DEAS 2020 data collection by means of a sequential mixed-mode design combining a personal computer-assisted interview and an additional self-administered questionnaire (distributed in person) was suspended due to the unfolding COVID-19 outbreak, the DEAS team set up a special self-administered questionnaire (distributed by mail) in order to gather at least some information on its panel respondents' life circumstances during the pandemic (Engstler and Köhler, 2021). This questionnaire collected data on the same topics as the regular DEAS, albeit in a shortened way. It also included specific questions on the COVID-19 pandemic.²

Sample

This study employs data from 2017 and 2020 in order to analyse the impact of the COVID-19-related consequences on the wellbeing of family care-givers. Originally, the two DEAS waves contained 11,449 observations from 7,221 respondents. Respondents with missing information on the most important independent variable – family care – were excluded ($n = 98$). Respondents in each sample who were observed only once were also excluded ($n = 3,248$). The final balanced sample consists of 7,750 observations from 3,875 respondents.³

The study's sample consists of four groups of (non-)care-givers. Family care-giving was captured via the following survey question: 'In the last 12 months (2017)/in the last 3 months (2020), were there any people you regularly looked after or cared for on a private or voluntary basis due to their poor health?' Those responding with 'Yes' were identified as family care-givers and those who responded with 'No' were identified as non-care-givers. However, as previous research suggests, the dynamics of family care (non-)provision should be taken into account more precisely as the relationship between family care and wellbeing can be different for those taking up, continuing or ceasing to provide family care (e.g. Hirst, 2005; Rafnsson *et al.*, 2017; Sacco *et al.*, 2022; Gerlich and Wolbring, 2021). Accordingly, for the purpose of this study, sample respondents responding with 'Yes' to the family care survey question in both years of a sample's observation were identified as 'continuous care-givers' (6.7% of the sample); those responding with 'No' in 2017 but with 'Yes' in 2020 were identified as 'new care-givers' (9.7% of the sample); those responding with 'Yes' in 2017 and with 'No' in 2020 were identified as 'past care-givers' (10.9% of the sample) and those responding with 'No' in both survey years were identified as non-care-givers (72.7% of the sample). Sample members were 66.5 years old on average (standard deviation (SD) = 10.2, range = 43–97 years) (in 2017), and 50.0 per cent were female.

For the purpose of performing further robustness checks, we constructed an additional balanced panel for the survey years 2014 and 2017 using an identical procedure resulting in 12,236 observations from 6,118 respondents.

Measures

Dependent variables

Life satisfaction information is based on the five-item Satisfaction With Life Scale (Pavot and Diener, 1993). Respondents rate statements such as ‘In most ways my life is close to my ideal’ or ‘If I could live my life over, I would change almost nothing’ on a five-point scale from (1) ‘strongly disagree’ to (5) ‘strongly agree’. The scale value is the mean of the five items ($\text{mean}_{2017} = 3.89$, $\text{SD}_{2017} = 0.68$; $\text{mean}_{2020} = 3.88$, $\text{SD}_{2020} = 0.69$). A higher scale value indicates a higher life satisfaction.

Depressive symptoms were captured on the basis of nine items (e.g. ‘During the past week I could not get going’) retrieved from the Center for Epidemiologic Studies Depression Scale (CES-D) (Radloff, 1977).⁴ Respondents rated statements on a four-point scale from (1) ‘rarely or none of the time (less than 1 day)’ to (4) ‘most or all of the time (5–7 days)’. Two items worded in a positive manner were reversed. A total score ranging from 9 to 36 is calculated by adding together individual item scores ($\text{mean}_{2017} = 13.81$, $\text{SD}_{2017} = 4.09$; $\text{mean}_{2020} = 15.56$, $\text{SD}_{2020} = 4.28$), with higher scores indicating greater levels of depressive symptoms.

Loneliness is captured by the six-item De Jong Gierveld short scale for loneliness (De Jong Gierveld and van Tilburg, 2006). Items such as ‘There are enough people I feel close to’ or ‘I miss having a sense of security and warmth’ were rated on a four-point scale from (1) ‘strongly agree’ to (4) ‘strongly disagree’. Three items worded in a negative manner were reversed. A mean score is computed, with higher values indicating more loneliness ($\text{mean}_{2017} = 1.73$, $\text{SD}_{2017} = 0.53$; $\text{mean}_{2020} = 1.87$, $\text{SD}_{2020} = 0.53$). For a list of all items used as indicators for life satisfaction, depressive symptoms and loneliness, as well as further operationalisation details, see Appendix Table A1.

Covariates

As control variables, we take into account changes in respondents’ labour market participation (employed or not), partnership status (partner or not), the number of household members and disposable household income. Table 1 includes descriptive statistics for all variables. Appendix Table A2 does so for the additional sample used in the robustness checks.

Analytical strategy

We perform linear first-difference regressions to identify changes over time and in family care-givers’ wellbeing. First-difference models focus on the change in an outcome between two time-points (2017 and 2020) disregarding the level of that outcome. Applied to our case, we examine changes in the wellbeing indicators within the same person over time. All observed and unobserved stable characteristics of that person, such as gender, education or personality, are controlled for and do not distort our results (Allison, 2009). The COVID-19 pandemic can be considered an exogenous treatment as it was not possible for individuals to self-select into or out of the lockdown scenario. Therefore, we are able to examine causal effects of the pandemic and the containment as well as closure measures on individuals’ wellbeing. Moreover, during the pandemic the choice between family care and professional (full-time) care services was more restricted than in

Table 1. Descriptive statistics of the study variables by survey year

	2017		2020	
	Mean/share	SD	Mean/share	SD
Family care:				
Family care	0.18		0.16	
Dynamics in family care-giver status between 2017 and 2020:				
Continuous care-giver		0.07		
New care-giver		0.10		
Past care-giver		0.11		
Non-care-giver		0.72		
Wellbeing:				
Life satisfaction	3.89	0.68	3.88	0.69
Depression	13.81	4.09	15.56	4.28
Loneliness	1.73	0.53	1.87	0.53
Controls:				
Employed	0.34		0.27	
Partner	0.80		0.77	
Household size	2.03	0.82	2.02	0.85
Household income	3,262	2,132	3,992	12,512
Person-years		7,750		
Persons		3,875		

Notes: Variables with missing information: life satisfaction (3.7%), depression (2.1%), loneliness (4.5%), employed (0.9%), partner (1.0%), household size (1.9%), household income (5.4%). SD: standard deviation.

Source: German Ageing Survey (DEAS), 2017–2020.

pre-COVID-19 times due to the limited capacities of professional care providers. Therefore, we are dealing with a much more significant exogenous shock than in other pre-crisis studies of family care. We include a binary variable for time that codes with 1 for the year 2020 in the regression models to capture the changes between 2017 and 2020 (Möhring *et al.*, 2021). We include interaction effects of this variable with the care-giver status in order to identify differences in effects between the non-care-giving population and the three groups of care-givers (continuous, new and past).

In order to ensure that the changes we observe in the wellbeing of family care-givers are driven by the COVID-19 pandemic and are not to the result of general changes over time, we conducted additional first-difference regressions for the balanced panel of 2014 and 2017. The regression models were identical with respect to the dependent and most of the independent and control variables. Instead of a time-point variable for 2020, we included a time-point variable for 2017 to capture changes between 2014 and 2017. All estimations were performed with Stata 15.0.⁵

Results

Table 2 shows selected results from the first-difference regressions of our three well-being indicators and Appendix Table A3 includes the full regression results. For the non-care-givers, we find significant changes in depressive symptoms and loneliness between 2017 and 2020, while life satisfaction did not change significantly between the two time-points. Compared to 2017, their depressive symptoms increased by 1.801 scale points ($p = 0.000$) on the scale from 9 to 36, and loneliness by 0.128 scale points ($p = 0.000$) on a scale ranging from 1 to 4.

The interaction effects of family care-giver types with the 2020 time-point variable indicate that changes in wellbeing significantly differed for some care-givers compared to non-care-givers. This applies to life satisfaction of new care-givers and feelings of loneliness of continuous care-givers. Taking up a caring responsibility between 2017 and 2020 is associated with a decrease in life satisfaction by 0.077 scale points ($p = 0.030$). The change in feelings of loneliness is 0.072 scale points ($p = 0.035$) higher among continuous care-givers compared to the change in scale points observed among non-care-givers.

The additional first-difference regressions for the balanced panel of 2014 and 2017 yield no significant changes of the 2017 time-point dummy on the three well-being indicators under study (Appendix Table A4). However, those who took up a caring responsibility in the sample period 2014–2017 showed a significant increase in depressive symptoms. Together with the result on the significant decline in life satisfaction among new care-givers between 2017 and 2020, this finding indicates

Table 2. First-difference regression models on three aspects of wellbeing

	Life satisfaction	Depression	Loneliness
June/July 2020 ¹	0.014 (0.012)	1.801*** (0.089)	0.128*** (0.010)
Interactions of June/July 2020 × Care-giver status: ²			
June/July 2020 × Continuous care-giver	-0.017 (0.040)	-0.342 (0.297)	0.072* (0.034)
June/July 2020 × New care-giver	-0.077* (0.035)	-0.091 (0.255)	0.042 (0.030)
June/July 2020 × Past care-giver	-0.000 (0.032)	-0.354 (0.235)	-0.036 (0.027)
Person-years	6,180	6,382	6,092
Persons	3,090	3,191	3,046
R ² within	0.005	0.149	0.081

Notes: Controlling for labour market participation, partnership status, number of household members, household income. Standard errors are in parentheses. 1. The time-point dummy reflects the changes in each wellbeing indicator between 2017 and 2020. Due to our modelling strategy, the main effect shows these changes for non-care-givers. 2. The interaction effects of different types of family care-givers with the 2020 time-point dummy reflect the difference in the change for the respective care-giver type compared to non-care-givers.

Source: German Ageing Survey (DEAS), 2017–2020.

Significance levels: * $p < 0.05$, *** $p < 0.001$.

that the impairment of new care-givers' wellbeing does not represent a period effect but stems from the new care provision situation. Furthermore, the non-significant time-point dummies in the robustness checks indicate that the significant changes we observed in depressive symptoms ('June/July 2020' time-point dummy) and loneliness ('June/July 2020' time-point dummy, 'June/July 2020 × Continuous care-giver' interaction) between 2017 and 2020 among (non-)care-givers represent a period effect, *i.e.* an effect of the COVID-19 pandemic and its subsequent containment and closure measures.

Discussion and conclusion

In this study, we examined the impact of the COVID-19 pandemic and its related containment and closure measures on three wellbeing indicators among different groups of family care-givers and non-care-givers. Our data cover June and July 2020, when infection rates in Germany were low and most of the COVID-19 restrictions were eased. However, the perceived risk of infection and serious illness for people with pre-existing medical conditions and/or for people aged 60 and above was still high at this time, and prospects for a vaccine were still remote. Using a longitudinal first-difference design combining the 2020 information with data for 2017, we show, first, that differentiating between distinct wellbeing indicators and different groups of family care-givers is crucial when analysing the impact of the COVID-19 pandemic on individuals' wellbeing. Second, we demonstrate that (non-)care-giving adults living in private households in Germany experienced a decrease in specific wellbeing dimensions during the pandemic, and that this decrease was more pronounced for family care-givers – depending on the duration of care-giving and the wellbeing dimension under study.

We found that loneliness increased for (non-)care-giving adults during the COVID-19 pandemic. This finding is consistent with prior research that shows increased levels of loneliness due to the pandemic among the overall population in Germany (Entringer *et al.*, 2020; Huxhold and Tesch-Römer, 2021). In addition, we showed that the increase in loneliness was even more pronounced for continuous family care-givers than for the non-care-giving population. Although this difference is rather moderate, this finding suggests that continuous family care-givers might have adhered more strictly to social distancing measures than non-care-givers as they needed to protect themselves as well as their care receivers from infection much more strictly, ultimately leading to a higher increase in loneliness. Furthermore, the result also suggests that the care situation of continuous care-givers during the COVID-19 pandemic is very different from that of new care-givers (past care-givers, respectively), who did not differ significantly from the non-care-giving population with regard to changes in loneliness: continuous care-givers' care recipients are likely to have a longer history of illness and thus a worse health status on average than new care-givers' care recipients (*e.g.* Rothgang *et al.*, 2016; Rothgang and Müller 2021). Therefore, continuous care-givers' care recipients might even be more vulnerable, which is why continuous care-givers probably apply stricter social distancing measures during the COVID-19 pandemic than new care-givers (past care-givers, respectively).

We found an increase in depressive symptoms resulting from the COVID-19 pandemic among (non-)care-giving adults. This finding broadly supports the results of other studies that observed an increased level of depressive symptoms in the early stages of the pandemic among the overall population (Entringer *et al.*, 2020; Mata *et al.*, 2021; Wettstein *et al.*, 2021). However, for the specific group of family care-givers, the COVID-19 pandemic did not play out as an additional risk factor with regard to their psychological health, *i.e.* depressive symptoms, as we did not detect any significant differences between family care-givers and the non-care-giving population. Although prior research has shown that family care provision is a consistent source of stress resulting in increasing depressive symptoms (*e.g.* Pinquart and Sørensen, 2003; Hansen *et al.*, 2013; Hiel *et al.*, 2015; Kaschowitz and Brandt, 2017; Kaufman *et al.*, 2019; Kaschowitz and Lazarevic, 2020), the COVID-19 pandemic did not aggravate depressive symptoms to a greater extent among family care-givers than among non-care-givers. This rather unexpected finding might be due to this study's broad definition of family care provision. The family care measure does not presuppose, for example, a certain temporal involvement in family care tasks. Family care-givers in this study meet the requirement of having regularly looked after or cared for a person suffering from poor health on a private or voluntary basis over the last 12 months (2017)/3 months (2020). Accordingly, family care-givers included in this study may vary greatly in the extent of support and/or care provided: from care-givers helping with household chores or grocery shopping every second or third week or on weekends only to care-givers providing intensive care for several hours each day. Thus, our study rather provides a lower bound of effects of the COVID-19 pandemic on family care-givers' depressive symptoms because pandemic-induced changes (*e.g.* reduction of informal as well as formal support, possibly stricter self-imposed social isolation, possibly more negative appraisal of the pandemic as threat) may have a greater impact on intensive care-givers' depressive symptoms.

Our results showed further that the COVID-19 pandemic did not lead to significant changes in non-care-givers', continuous and past care-givers' life satisfaction. This finding corresponds with existing research showing that life satisfaction did not decrease substantially in the early phase of the pandemic among the overall population in Germany (Entringer *et al.*, 2020; Huebener *et al.*, 2020; Wettstein *et al.*, 2021). However, we did find a decrease in life satisfaction for new care-givers who provided care in 2020 but not in 2017. This finding may be connected to a care-givers' recent transition into family care, as prior research has shown that particularly new care-givers experience declines in life satisfaction and quality of life (Sacco *et al.*, 2022; Gerlich and Wolbring, 2021).

In general, the not existing 'COVID-19 effect' on life satisfaction, but on depressive symptoms and loneliness, is in line with previous research (*e.g.* Entringer *et al.*, 2020; Wettstein *et al.*, 2021). Wettstein *et al.* (2021) argue that the COVID-19 pandemic has a greater impact on (primarily) affective (depressive symptoms, loneliness) than on judgemental (life satisfaction) wellbeing dimensions (for a deeper discussion, *see* Wettstein *et al.*, 2021: 176, 182ff).

This study's findings highlight the need to not only monitor the wellbeing of the general population closely during the further course of the pandemic, but also that of family care-givers. The rise in loneliness among continuous care-givers might

point to a particularly heightened form of social isolation experienced by family care-givers in the first stage of the COVID-19 pandemic (*see* Eggert *et al.*, 2020; Klaus and Ehrlich 2021). It is an open question whether these higher levels on loneliness will return to baseline levels over time or whether they will stabilise at similar or even higher levels. Lasting loneliness has been shown to be a stressful experience that may interfere negatively with health (*e.g.* Böger and Huxhold, 2018). Consequently, our results suggest that policies to mitigate the impact of the COVID-19 pandemic on population health also need to be directed towards (continuous) family care-givers as maintaining their health also benefits care recipients, whose health-care needs can only be met if their care-givers are in good condition.

To our knowledge our study is the first to show the impact of the pandemic on the wellbeing of family care-givers in Germany. While many previous studies draw on cross-sectional data collected in 2020, care-giver-specific samples or non-probability sampling designs (*e.g.* Eggert *et al.*, 2020; Wolf-Ostermann *et al.*, 2020; Brandt *et al.*, 2021; Budnick *et al.*, 2021), we are able to analyse COVID-19-driven changes in family care-givers' wellbeing by drawing on longitudinal data from a population-based sample of community-dwelling individuals.

However, our study has some limitations. For example, in 2020, the regular interviewer-administered and the subsequent self-administered questionnaire mode was replaced by a self-administered questionnaire mode without previous personal interviewer-interviewee contact. As a consequence, there is potential for estimation bias (selection, measurement error) due to changes in the data-collection mode. Also, in 2020, a shortened version of the DEAS questionnaire was used. Therefore, we were not able to examine the impact of different family care time demands or care tasks on family care-givers' wellbeing. Moreover, the 2020 survey was conducted after the peak of the first COVID-19 wave in Germany. Therefore, we might underestimate the immediate negative effects of the pandemic. Another limitation of this study results from the long, three-year period which passed between each survey. Therefore, on the one hand, our estimates might conceal changes in family care-givers' mental wellbeing due to adaptation processes (*e.g.* Haley and Pardo, 1989; Townsend *et al.*, 1989; Pinquart and Sörensen, 2003); on the other hand, the family care indicators used in this study may not completely mirror respondents' dynamics in family care provision, as, for example, some of the continuous family care-givers may have stopped providing family care for a period of time between the two surveys. Further, although we were able to rule out time-invariant unobserved heterogeneity by running first-difference regressions, time-variant unobserved heterogeneities might still cause bias as first-difference models are based on the assumption that the growth rate in wellbeing over time remains unaffected by between-group variation (Brüderl and Ludwig, 2014).

Notwithstanding these limitations, our results yield heterogeneities in wellbeing between family care-givers and the non-care-giving population in the first stage of the pandemic: while family care-givers as well as non-care-givers experienced an increase in depressive symptoms and feelings of loneliness, only continuous care-givers showed more pronounced increases in loneliness compared to non-care-givers. Building on this research, detailed further analyses of the COVID-19 pandemic's longer-term consequences on family care-givers' as well as non-care-givers' wellbeing are necessary. For example, in order to gain greater insights

into the wider context of the pandemic, future analyses should make use of population-based panel surveys covering further COVID-19 waves to investigate the evolution of family care-givers' wellbeing over the course of the pandemic. Moreover, future research should build on our approach and include a broad spectrum of wellbeing dimensions to obtain a nuanced and comprehensive picture of how family care-givers' and non-care-givers' wellbeing were affected at different stages of the pandemic. Finally, by considering other types of care-giving, future research may provide a more differentiated understanding of the family care-wellbeing association in times of the COVID-19 pandemic.

Data. Microdata of all the German Ageing Survey (DEAS) waves used are available free of charge for research, teaching and theses.

Acknowledgements. The authors would like to thank the anonymous reviewers for their helpful feedback and advise as well as Svenja M. Spuling and Georg Henning for their valuable suggestions.

Author contributions. All authors contributed to the study conception and design. Ulrike Ehrlich performed the data analyses and wrote the first draft of the manuscript. All authors contributed to material preparation and commented on previous versions of the manuscript. All authors read and approved the final manuscript.

Financial support. The German Ageing Survey (DEAS) is funded by the German Federal Ministry for Family Affairs, Senior Citizens, Women, and Youth (BMFSFJ) (grant number 301-1720-2/2). The content is the sole responsibility of the authors.

Conflict of interest. The authors declare no conflicts of interest.

Ethical standards. The German Ageing Survey (DEAS) is a nationwide representative cross-sectional and longitudinal survey of the German population aged 40 and older. Ethical approval is not mandatory for general surveys in Germany. The DEAS is approved and funded by the Federal Ministry for Family Affairs, Senior Citizens, Women and Youth (BMFSFJ). The data assessments were carried out by the infas – Institut für angewandte Sozialwissenschaft GmbH (infas Institute for Applied Social Sciences) in Bonn in two phases. First, an oral, face-to-face interview usually conducted in the respondent's home. These personal interviews were held by trained interviewers with a standardised questionnaire. Second, respondents were also given a questionnaire to fill out. During the face-to-face interview, two tests were conducted starting from 2008: the digit-symbol test assesses the participants' 'psychomotor speed' and a peak-flow-meter is used in order to measure the respondents' lung capacity. Invasive methods are not part of the DEAS. DEAS survey participants give their informed consent by taking part on a voluntary basis after being invited and receiving detailed written information on the aims of the study, the voluntariness of participation, the assurance of data protection and of using collected data for scientific purposes only. At the end of the first interview, those respondents who are willing to further take part in the panel study give signed consent to save their address and to allow us to contact them again for the next survey waves. They are informed that they may revoke their consent whenever they want, that participation always is voluntary and that they are free to deny further participation. Informed consent after the initial survey participation is mandatory for future survey participation. The DEAS is counselled by a steady scientific academic advisory committee (<https://www.dza.de/en/research/deas/advisory-committee>) which receives all information on sampling, procedures to obtain the informed consent of participants, on questionnaires, topics and aims of each DEAS survey wave and thus ensures the scientific quality of the survey.

Notes

1 Day care is a service where people in need of care are looked after during the day and spend the night at home. By contrast, in night-care facilities, care-dependents are cared for at night. Day and night care combine both forms of semi-inpatient care. Costs are only partially covered by the long-term care insurance funds (BMG, 2021c). If a person in need of care requires full inpatient care for a limited period of time,

e.g. after a hospital stay or if family care must or should be suspended for a certain period of time, short-term care can be applied for. Short-term care is limited to a period of eight weeks per year. During this time, the long-term care insurance funds cover the costs of inpatient accommodation (BMG, 2021d).

2 The response rate for the 2020 sample (56.6%) was 6.6 percentage points lower than the response rate in 2017 (Institut für angewandte Sozialwissenschaft (infas), 2018, 2020). However, against the background of the first purely self-administered questionnaire and the short field time, the response rate was 'pleasingly high', according to the fieldwork agency (infas, 2020: 14).

3 Given panel attrition or infrequent wave-to-wave response behaviour, our final balanced sample might be selective with regard to wellbeing. A comparison of respondents who participated in 2017 only (2020 only, respectively) and those who participated in both 2017 and 2020 revealed that our balanced sample was on average more satisfied, less depressive and felt less lonely in 2017 (2020, respectively) compared to those observed only once. However, effect sizes associated with those differences were below Cohen's $d = 0.24$ and thus quite small.

4 Originally the CES-D had 15 items. In the 2020 questionnaire, only ten items of the CES-D were implemented. However, only nine of the ten items correspond to the CES-D items used in the 2017 questionnaire.

5 The Stata syntax used for all analyses can be obtained from the first author upon request.

References

- Allison PD (2009) *Fixed Effects Regression Models*. Thousand Oaks, CA: Sage.
- Bauer A and Weber E (2021) COVID-19: how much unemployment was caused by the shutdown in Germany? *Applied Economics Letters* **28**, 1053–1058.
- Böger A and Huxhold O (2018) Do the antecedents and consequences of loneliness change from middle adulthood into old age? *Developmental Psychology* **54**, 181–197.
- Brandt M, Garten C, Grates M, Kaschowitz J, Quashie N and Schmitz A (2021) Veränderungen von Wohlbefinden und privater Unterstützung für Ältere: ein Blick auf die Auswirkungen der COVID-19-Pandemie im Frühsommer 2020. *Zeitschrift für Gerontologie und Geriatrie* **54**, 240–246.
- Brüderl J and Ludwig V (2014) Fixed-effects panel regression. In Best H and Wolf C (eds), *The Sage Handbook of Regression Analysis and Causal Inference*. London: Sage, pp. 327–358.
- Budnick A, Hering C, Eggert S, Teubner C, Suhr R, Kuhlmeier A and Gellert P (2021) Informal caregivers during the COVID-19 pandemic perceive additional burden: findings from an ad-hoc survey in Germany. *BMC Health Services Research* **21**, 1–11.
- Bundesministerium für Gesundheit (BMG) (2021a) *Soziale Pflegeversicherung: Leistungsempfänger nach Leistungsarten und Pflegegraden im Jahresdurchschnitt 2019*. Available at <https://www.bundesgesundheitsministerium.de/themen/pflege/pflegeversicherung-zahlen-und-fakten.html>.
- Bundesministerium für Gesundheit (BMG) (2021b) *Soziale Pflegeversicherung: Leistungsempfänger nach Leistungsarten und Pflegegraden im Jahresdurchschnitt 2020*. Available at <https://www.bundesgesundheitsministerium.de/themen/pflege/pflegeversicherung-zahlen-und-fakten.html>.
- Bundesministerium für Gesundheit (BMG) (2021c) *Tages- und Nachtpflege*. Available at <https://www.bundesgesundheitsministerium.de/tagespflege-und-nachtpflege.html>.
- Bundesministerium für Gesundheit (BMG) (2021d) *Kurzzeitpflege*. Available at <https://www.bundesgesundheitsministerium.de/kurzzeitpflege.html>.
- Capano G, Howlett M, Jarvis DS, Ramesh M and Goyal N (2020) Mobilizing policy (in)capacity to fight COVID-19: understanding variations in state responses. *Policy and Society* **39**, 285–308.
- De Jong Gierveld J and van Tilburg T (2006) A 6-item scale for overall, emotional, and social loneliness: confirmatory tests on survey data. *Research on Aging* **28**, 582–598.
- Eggert S, Teubner C, Budnick A, Gellert P and Kuhlmeier A (2020) *Informal Caregivers in the COVID-19 Crisis: Findings of a Nationwide Survey in Germany*. Berlin: Centre for Quality in Care (ZQP).
- Engstler H and Köhler K (2021) *German Ageing Survey (DEAS): User Manual SUF DEAS 2020*. Berlin: Deutsches Zentrum für Altersfragen.
- Entringer TM, Kröger H, Schupp J, Kühne S, Liebig S, Goebel J, Grabka MM, Graeber D, Kroh M and Schröder C (2020) *Psychische Krise durch Covid-19? Sorgen sinken, Einsamkeit steigt, Lebenszufriedenheit bleibt stabil* (SOEppapers on Multidisciplinary Panel Data Research Issue No. 1087). Berlin: Deutsches Institut für Wirtschaftsforschung.

- Fischer J, Frisina Doetter L and Rothgang H** (2022) Comparing long-term care systems: a multi-dimensional, actor-centred typology. *Social Policy & Administration* **56**, 33–47.
- Gerlich R and Wolbring T** (2021) 'In good times and in bad, in sickness and in health': a longitudinal analysis on spousal caregiving and life satisfaction. *Journal of Happiness Studies* **22**, 1481–1516.
- Geyer J and Schulz E** (2014) Who cares? Die Bedeutung der informellen Pflege durch Erwerbstätige in Deutschland. *DIW Wochenbericht* **81**, 294–301.
- Gilligan M, Suitoer JJ, Rurka M and Silverstein M** (2020) Multigenerational social support in the face of the COVID-19 pandemic. *Journal of Family Theory & Review* **12**, 431–447.
- Haley WE and Pardo KM** (1989) Relationship of severity of dementia to caregiving stressors. *Psychology and Aging* **4**, 389–392.
- Hansen T, Slagsvold B and Ingebretsen R** (2013) The strains and gains of caregiving: an examination of the effects of providing personal care to a parent on a range of indicators of psychological well-being. *Social Indicators Research* **114**, 323–343.
- Hiel L, Beenackers MA, Renders CM, Robroek SJW, Burdorf A and Croezen S** (2015) Providing personal informal care to older European adults: should we care about the caregivers' health?. *Preventive Medicine* **70**, 64–68.
- Hirst M** (2005) Carer distress: a prospective, population-based study. *Social Science & Medicine* **61**, 697–708.
- Huebener M, Spieß CK, Siegel NA and Wagner GG** (2020) Wohlbefinden von Familien in Zeiten von Corona: Eltern mit jungen Kindern am stärksten beeinträchtigt. *DIW Wochenbericht* **87**, 527–537.
- Huxhold O and Tesch-Römer C** (2021) *Einsamkeit steigt in der Corona-Pandemie bei Menschen im mittleren und hohen Erwachsenenalter gleichermaßen deutlich* (DZA Aktuell 04/2021). Berlin: Deutsches Zentrum für Altersfragen.
- Institut für angewandte Sozialwissenschaft (infas)** (2018) *Methodenbericht Deutscher Alterssurvey (DEAS): Durchführung der 6. Erhebungswelle 2017*. Bonn, Germany: infas.
- Institut für angewandte Sozialwissenschaft (infas)** (2020) *Methodenbericht Deutscher Alterssurvey (DEAS): Schriftliche Panelbefragung 2020*. Bonn, Germany: infas.
- Kaschowitz J and Brandt M** (2017) Health effects of informal caregiving across Europe: a longitudinal approach. *Social Science & Medicine* **173**, 72–80.
- Kaschowitz J and Lazarevic P** (2020) Bedeutung des Gesundheitsindikators bei der Analyse der Gesundheitsfolgen informeller. *Pflege. Zeitschrift für Gerontologie und Geriatrie* **53**, 10–16.
- Kaufman JE, Lee Y, Vaughn W, Unuigbe A and Gallo WT** (2019) Depression associated With transitions Into and out of spousal caregiving. *The International Journal of Aging and Human Development* **88**, 127–149.
- Klaus D and Ehrlich U** (2021) *Corona-Krise = Krise der Angehörigen-Pflege? Zur veränderten Situation und den Gesundheitsrisiken der informell Unterstützungs- und Pflegeleistenden in Zeiten der Pandemie* (DZA Aktuell 01/2021). Berlin: Deutsches Zentrum für Altersfragen.
- Klaus D, Engstler H, Mahne K, Wolff JK, Simonson J, Wurm S and Tesch-Römer C** (2017) Cohort profile: the German Ageing Survey (DEAS). *International Journal of Epidemiology* **46**, 1105–1105g.
- Leitner S** (2019) Familienpolitik. In Obinger H and Schmidt MG (eds), *Handbuch Sozialpolitik*. Wiesbaden, Germany: Springer, pp. 739–760.
- Mata J, Wenz A, Rettig T, Reifenscheid M, Möhring K, Krieger U, Friedel S, Fikel M, Cornesse C and Blom AG** (2021) Health behaviors and mental health before and during the COVID-19 pandemic: a longitudinal population-based survey. *Social Science & Medicine* **287**, 1–9.
- Möhring K, Naumann E, Reifenscheid M, Wenz A, Rettig T, Krieger U, Friedel S, Finkel M, Cornesse C and Blom AG** (2021) The COVID-19 pandemic and subjective well-being: longitudinal evidence on satisfaction with work and family. *European Societies* **23**, 601–617.
- Pavot W and Diener E** (1993) Review of the Satisfaction With Life Scale. *Psychological Assessment* **5**, 164–172.
- Pearlin LI, Mullan JT, Semple SJ and Skaff MM** (1990) Caregiving and the stress process: an overview of concepts and their measures. *The Gerontologist* **30**, 583–594.
- Pinquart M and Sörensen S** (2003) Associations of stressors and uplifts of caregiving with caregiver burden and depressive mood: a meta-analysis. *Journals of Gerontology: Series B* **58**, 112–128.
- Radloff LS** (1977) The CES-D scale: a self-report depression scale for research in the general population. *Applied Psychological Measurement* **1**, 385–401.
- Rafnsson SB, Shankar A and Steptoe A** (2017) Informal caregiving transitions, subjective well-being and depressed mood: findings from the English Longitudinal Study of Ageing. *Aging & Mental Health* **21**, 104–112.

- Robert Koch-Institut** (2020) *Beschreibung des bisherigen Ausbruchsgeschehens mit dem neuartigen Coronavirus SARS-CoV-2 in Deutschland (Stand: 12. Februar 2020)*. Available at https://www.rki.de/DE/Content/Infekt/EpidBull/Archiv/2020/07/Art_02.html.
- Robert Koch-Institut** (2021) *Prävention und Management von COVID-19 in Alten- und Pflegeeinrichtungen und Einrichtungen für Menschen mit Beeinträchtigungen und Behinderungen. Empfehlungen des Robert Koch-Instituts für Alten- und Pflegeeinrichtungen und Einrichtungen für Menschen mit Beeinträchtigungen und Behinderungen und für den öffentlichen Gesundheitsdienst*. Available at https://www.rki.de/DE/Content/InfAZ/N/Neuartiges_Coronavirus/Pflege/Dokumente.html.
- Rothgang H and Müller R** (2021) *Barmer Pflegereport 2021: Wirkungen der Pflegereformen und Zukunftstrends*. Berlin: Barmer.
- Rothgang H, Kalwitzki T, Müller R, Runte R and Unger R** (2016) *BARMER GEK Pflegereport 2016*. Berlin: BARMER GEK.
- Rothgang H, Wolf-Ostermann K, Domhoff D, Friedrich AC, Heinze F, Preuss B, Schmidt A, Seibert K and Stolle C** (2020) *Care Homes and COVID-19: Results of an Online Survey in Germany*. London: LTCovid, International Long-term Care Policy Network, CPEC-LSE.
- Sacco LB, König S, Westerlund H and Platts LG** (2022) Informal caregiving and quality of life among older adults: prospective analyses from the Swedish Longitudinal Occupational Survey of Health (SLOSH). *Social Indicators Research* **160**, 845–866.
- Statistisches Bundesamt (Destatis)** (2020) *4,1 Millionen Pflegebedürftige zum Jahresende 2019* (Press release 507, December 15). Available at https://www.destatis.de/DE/Presse/Pressemitteilungen/2020/12/PD20_507_224.html.
- Tagesspiegel Innovation Lab** (2022) *Coronavirus-Karte Live. Alle Corona-Fälle in den Landkreisen, Bundesländern und weltweit. Der Tagesspiegel*. Available at https://interaktiv.tagesspiegel.de/lab/karte-sars-cov-2-in-deutschland-landkreise/?tab=neuinfizierte&norm=dichte&utm_source=tagesspiegel.de&utm_medium=html-box-home&utm_campaign=coronac.
- Townsend A, Noelker L, Deimling G and Bass D** (1989) Longitudinal impact of interhousehold caregiving on adult children's mental health. *Psychology and Aging* **4**, 393–401.
- Wettstein M, Vogel C, Nowossadeck S, Spuling SM and Tesch-Römer C** (2020) *Wie erleben Menschen in der zweiten Lebenshälfte die Corona-Krise? Wahrgenommene Bedrohung durch die Corona-Krise und subjektive Einflussmöglichkeiten auf eine mögliche Ansteckung mit dem Corona-Virus* (DZA Aktuell 01/2020). Berlin: Deutsches Zentrum für Altersfragen.
- Wettstein M, Nowossadeck S and Vogel C** (2021) Well-being trajectories of middle-aged and older adults and the corona pandemic: no 'COVID-19 effect' on life satisfaction, but increase in depressive symptoms. *Psychology and Aging* **37**, 175–189.
- Wolf-Ostermann K, Rothgang H, Domhoff D, Friedrich AC, Heinze F, Preuß B, Schmidt A, Seibert K and Stolle C** (2020) *Zur Situation der Langzeitpflege in Deutschland während der Corona-Pandemie. Ergebnisse einer Online-Befragung in Einrichtungen der (teil)stationären und ambulanten Langzeitpflege*. Bremen, Germany: Institut für Public Health und Pflegeforschung (IPP)/SOCIUM Forschungszentrum Ungleichheit und Sozialpolitik.

Appendix

Table A1. Items for the assessment of life satisfaction, depressive symptoms and loneliness

Measure	Item	Operationalisation
Life satisfaction (Pavot and Diener, 1993)	<ol style="list-style-type: none"> 1. In most ways my life is close to my ideal. 2. The conditions of my life are excellent. 3. I am satisfied with my life. 4. So far, I have gotten the important things I want in life. 5. If I could live my life over, I would change almost nothing. 	For generating the mean score at least three items had to be non-missing
Depressive symptoms (Radloff, 1977, modified)	<ol style="list-style-type: none"> 1. I had trouble keeping my mind on what I was doing. 2. I felt depressed. 3. I felt that everything I did was an effort. 4. I felt fearful. 5. My sleep was restless. 6. I was happy. 7. I enjoyed life. 8. I felt sad. 9. I could not get going. 	In order to generate the sum score all items had to be non-missing
Loneliness (De Jong Gierveld and van Tilburg, 2006)	<ol style="list-style-type: none"> 1. I miss having people who I feel comfortable with. 2. There are plenty of people that I can depend on if I'm in trouble. 3. Often, I feel rejected. 4. There are many people that I can count on completely. 5. I miss having a sense of security and warmth. 6. There are enough people I feel close to. 	In order to generate the mean score at least three items had to be non-missing

Table A2. Descriptive statistics of the study variables by survey year

	2014		2017	
	Mean/share	SD	Mean/share	SD
Family care:				
Family care	0.18		0.17	
Dynamics in family care-giver status between 2014 and 2017:				
Continuous care-giver		0.08		
New care-giver		0.09		
Past care-giver		0.11		
Non-care-giver		0.72		
Wellbeing:				
Life satisfaction	3.84	0.71	3.85	0.70
Depression	14.07	4.32	14.23	4.39
Loneliness	1.76	0.54	1.75	0.54
Controls:				
Employed	0.38	0.49	0.32	0.47
Partner	0.80	0.40	0.77	0.42
Household size	2.13	0.91	2.00	0.83
Household income	3,051	2,138	3,109	2,154
Person-years		12,236		
Persons		6,118		

Notes: Variables with missing information: life satisfaction (14.5%), depression (0.5%), loneliness (15.1%), employed (0.0%), partner (0.1%), household size (0.0%), household income (5.5%). SD: standard deviation.

Source: German Ageing Survey (DEAS), 2014–2017.

Table A3. Full first-difference regression models on three aspects of wellbeing, 2017–2020

	Life satisfaction	Depression	Loneliness
June/July 2020 ¹	0.014 (0.012)	1.801*** (0.089)	0.128*** (0.010)
Interactions of June/July 2020 × Care-giver status: ²			
June/July 2020 × Continuous care-giver	−0.017 (0.040)	−0.342 (0.297)	0.072* (0.034)
June/July 2020 × New care-giver	−0.077* (0.035)	−0.091 (0.255)	0.042 (0.030)
June/July 2020 × Past care-giver	−0.000 (0.032)	−0.354 (0.235)	−0.036 (0.027)
Employed (Ref. Not employed)	0.041 (0.033)	0.634** (0.240)	0.038 (0.028)
Having a partner (Ref. No partner)	0.128** (0.044)	−0.870** (0.328)	−0.122** (0.037)
Number of household members	0.004 (0.016)	0.023 (0.118)	0.018 (0.014)
Household income	0.000 (0.000)	−0.000 (0.000)	0.000 (0.000)
Person-years	6,180	6,382	6,092
Persons	3,090	3,191	3,046
R ² within	0.005	0.149	0.081

Notes: Standard errors are in parentheses. 1. The time-point dummy reflects the changes in each wellbeing indicator between 2017 and 2020. Due to our modelling strategy, the main effect shows these changes for non-care-givers. 2. The interaction effects of different types of family care-givers with the 2020 time-point dummy reflect the difference in the change for the respective care-giver type compared to non-care-givers. Ref.: reference.

Source: German Ageing Survey (DEAS), 2017–2020.

Significance levels: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$.

Table A4. Full first-difference regression models on three aspects of wellbeing, 2014–2017

	Life satisfaction	Depression	Loneliness
2017 ¹	0.009 (0.010)	0.062 (0.069)	−0.010 (0.008)
Interactions of 2017 × Care-giver status: ²			
2017 × Continuous care-giver	−0.014 (0.031)	0.036 (0.212)	−0.005 (0.024)
2017 × New care-giver	−0.026 (0.029)	0.482* (0.201)	0.023 (0.023)
2017 × Past care-giver	0.032 (0.028)	−0.069 (0.188)	−0.018 (0.022)
Employed (Ref. Not employed)	0.030 (0.030)	0.319 (0.199)	0.007 (0.023)
Having a partner (Ref. No partner)	0.110** (0.038)	−1.119*** (0.259)	−0.117*** (0.030)
Number of household members	0.001 (0.015)	−0.047 (0.098)	−0.000 (0.012)
Household income	−0.000 (0.000)	0.000 (0.000)	0.000 (0.000)
Person-years	8,796	11,024	8,682
Persons	4,398	5,512	4,341
R ² within	0.003	0.006	0.004

Notes: Standard errors are in parentheses. 1. The time-point dummy reflects the changes in each wellbeing indicator between 2014 and 2017. Due to our modelling strategy, the main effect shows these changes for non-care-givers. 2. The interaction effects of different types of family care-givers with the 2017 time-point dummy reflect the difference in the change for the respective care-giver type compared to non-care-givers. Ref.: reference.

Source: German Ageing Survey (DEAS), 2014–2017.

Significance levels: * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$.

Cite this article: Ehrlich U, Kelle N, Klaus D, Möhring K (2024). How did the COVID-19 pandemic impact the wellbeing of family care-givers? A longitudinal study of older adults in Germany. *Ageing & Society* 44, 1533–1550. <https://doi.org/10.1017/S0144686X22000873>